



*Are you ready for
more I ambbs?*

Enzovax[®]  **Toxovax[®]**

WHAT'S STOPPING YOU?

Are you ready for more lambs?

Most flocks could increase their lambing percentage significantly - and the financial rewards for this can be quite startling. But how?

Contrary to popular belief, it's rarely the weather which dramatically lowers the lambing percentage – still less the ewe's nutrition or genetics. The reason, in most cases, is a hidden infection of the ewe during pregnancy. Infections such as enzootic abortion (EAE) or toxoplasmosis.

These infections cause abortion. But they can also lead to weak and sickly lambs which die soon after birth. And they can even cause losses before you know the ewe is pregnant.

Surveys have shown that as many as 6 out of 7 flocks have one or both of these diseases hiding on their farm¹. If that includes you, then vaccination with Enzovax or Toxovax could help you produce significantly more lambs – more than enough to pay for the cost of vaccination.

To find out whether these diseases affect your farm, talk to your vet now. And get ready for more lambs next year.



Vaccinate with Enzovax

- Controls losses from enzootic abortion - responsible for around 50% of all diagnosed abortions
- Typically, ewes only need to be vaccinated once²
- Good cross-protection against multiple strains
- Dramatically reduces shedding of the organism which causes enzootic abortion – in contrast to treatment with oxytetracycline, where shedding continues
- Pays for itself with a 1 - 1½% reduction in abortions, and thereafter increases flock profitability

Vaccinate with Toxovax

- Unique toxoplasma vaccine
- Protects against losses caused by toxoplasmosis: barrenness, abortions, stillbirths and weakly lambs
- Only one vaccination normally required
- Provides cost-effective control of the second most important cause of infectious abortion - pays for itself with a ½ - 1% reduction in losses
- Can be used concurrently with Enzovax

Enzovax[®]  **Toxovax[®]**

W H A T ' S S T O P P I N G Y O U ?

Enzovax[®] Toxovax[®]

WHAT'S STOPPING YOU?

1. Intervet surveys. Data on file.
2. EAE levels have been shown to remain very low in ewes vaccinated with Enzovax 4 years previously. See datasheet.

Enzovax contains *Chlamydophila abortus*, strain 1B. Toxovax contains *Toxoplasma gondii*, strain S48. Enzovax and Toxovax may only be prescribed by your veterinary surgeon from whom advice should be sought. Legal category: [POM](#). For contra-indications and warnings, uses and dosage, see datasheets. Further information is available on request. © Registered trademark.



Intervet UK Ltd, Walton Manor, Walton, Milton Keynes MK7 7AJ Tel: 01908 685685 Fax: 01908 685555 Email: support.uk@intervet.com